

COLLECTION

FABRICS | FRAME COLORS





We invite you to discover the diversity of our fabric collection, which not only follows the latest color trends, but also integrates innovative technologies and sustainable materials.

With a fabric from the STOBAG Collection, you are opting for European high-tech textiles in premium quality.

The diverse color palette allows you to harmoniously match the fabric to the frame and the surroundings.



Find your favorite fabrics with our fabric finder. We will be happy to send you samples to your home, or let one of our specialist partners in your region advise you personally.

Discover innovative new fabrics:

- The texture of the acrylic Brilliant Leaf fabric imitates the spirited color spectra of nature.
- The Soltis Lounge 96 fabric with its micro-perforated material is translucent, provides sun protection and allows air to circulate. With these properties, you can enjoy light and space on your balcony or terrace.
- The OEKO WEAVE fabric gives over 30% RE-USE fibers a second chance and is certified to Class 2 of the OEKO-TEX Standard 100 for effective sustainability.

The available color samples are not color-binding. Deviations in production technology are possible.

FABRICS COCKPIT

The COCKPIT offers you guidance. Find out which fabric is best suited to your shading solution and personal requirements. On the following pages you will find detailed descriptions of the various fabric groups and their respective properties.

	 VERTICAL AWNINGS	 FOLDING ARM AWNING	 CONSERVATORY SHADINGS	 PAVILIONS
ACRYL PG1 / PG1A		✓	✓	—
SOLTIS HORIZON 86 PG2	✓		—	—
SOLTIS HARMONY 88 PG2A	✓		—	—
SOLTIS PERFORM 92 PG3	✓			—
SOLTIS VEOZIP PG2	✓		—	—
SCREENS 5% PG2	✓	—	—	—
SCREENS 1% PG3	✓	—	—	—
TWILIGHT PG4	✓	—	—	—
BLOCKOUT PG4	✓	—	—	—
SOLTIS LOUNGE 96 PG1A	—	✓	—	—
WATER PG3		✓		—
FIRE PG3		✓		—
OEKO-WEAVE PG1A		✓	✓	—
RESISTANT / RESISTANT BLOCKOUT PG3	—	—	—	✓



ACRYL

Offers first-class UV protection. Fabrics made of high-quality, spinneret-dyed acrylic retain their colors for a long time.

Available in one color, with fine, wide or multi-colored stripes and in the highest quality “Brilliant” version.

Page 10 – 32



SOLTIS HORIZON 86

Excellent outward visibility thanks to maximum transparency. With an opening factor of 14 %, the fabric lets in natural light while blocking up to 93 % of the heat.

Page 33 – 34



SOLTIS HARMONY 88

The fabric transparency allows a view to the outside. With an opening factor of 8 % the fabric offers the ideal compromise between sun protection and visual comfort.

Page 35 – 36



SOLTIS PERFORM 92

Due to the low opening factor of the fabric, little light and hardly any heat enters the room. Blocks up to 97 % of the heat and offers the best sun and glare protection.

Page 37 – 39



SOLTIS VEOZIP

Optimized for window and façade awnings with ZIP guide. Characterized by a matte, attractive surface and textile look and feel. With an opening factor of 5 %, it offers an optimum balance between sun protection and pleasant transparency.

Page 40 – 41



SCREENS 5 %

Stability and fabric strength thanks to coated glass fiber yarns. Attractive woven texture and two-tone look accompany the fabric. The opening factor of 5 % ensures transparency.

Page 42 – 44



SCREENS 1 %

Stability and fabric strength thanks to coated glass fiber yarns. Accompanied by an attractive woven texture and two-tone look. The fabric opening factor of 1% prevents the penetration of heat and still allows light to enter and a certain degree of outward visibility, while ensuring protection from prying eyes.

Page 45



TWILIGHT

100 % PVC-free fabric with a textile character. The mesh fabric is durable and translucent.


Page 46



BLOCKOUT

Fabric is ideal for darkening and opacity.

Page 47



SOLTIS LOUNGE 96

More light and air circulation thanks to micro-perforated material, with a 97 % UV block at the same time. The glare-free view to the outside enhances the feeling of freedom. High UV color fastness gives the fabric a long-lasting look.

Page 48 – 49



WATER

Special waterproof acrylic fabric as an all-weather solution. A dirt and water-repellent outer impregnation protects the fabric.

Page 50 – 52



FIRE

Flame retardant and equipped with a water-repellent coating for weather resistance.

Page 53



OEKO-WEAVE

With over 30 % RE-USE fibers, the OEKO WEAVE fabric gives a second chance and is certified to Class 2 of the OEKO-TEX Standard 100 for effective sustainability.

Page 54 – 55



RESISTANT

For year-round continuous outdoor use and 100 % waterproof. This fabric is used for the STOBAG products BAVONA Soft-Top and RIVERA.

Page 56 – 57

FABRIC PROPERTIES



SHADOW

Reduces solar radiation and provides cooling shade for both outdoor and indoor areas.



TRANSPARENCY

Special fabrics allow outward visibility and provide glare protection.



WATER RESISTANCE

Rain resistant with a short, light rainfall. To maintain the quality of the fabric, we recommend always rolling it up when dry.



FIRE RESISTANCE

Flame retardant and is particularly suitable for buildings with special fire protection requirements.



DARKENING

Blackout fabrics darken the room to make it light-proof if the vertical awning is installed with a ZIP guide. If a different guide is selected, light can penetrate via the open edge areas.



PRODUCT RESTRICTION

Fabrics with this property are not suitable for all awnings.



SIZE RESTRICTION

Certain fabrics are suitable for some awnings up to a maximum size.

PG# PRICE GROUP

The fabrics are divided into 6 price groups. The fabrics in price group 1 are included in the basic price of the awning and are therefore available at no extra charge.



ROLL WIDTH

The fabrics for awnings vary in width so that, depending on the width of the awning, several lengths of fabric are required and a welded or stitched seam is necessary.



OPENING FACTOR

The opening factor explains the mesh opening size of the fabric and is shown as a percentage.



UV PROTECTION

Awning fabrics filter out UV rays. The filtering capacity of the fabrics depends on various factors, such as color or fabric density.



FABRIC REPEAT

When selecting a patterned fabric, it is important to consider the distance at which the same pattern is repeated. This makes it easier to assess the effect of the pattern across the entire width of the fabric.



COLLECTION-BOX

Included in Collection-Box.



120 cm



22 102
CRYSTAL

BRILLIANT PG1A

}}} UV97.5
NR. 15

22 138
ALABASTER

BRILLIANT PG1A

}}} UV97.5
NR. 79

22 608
SILVERBIRCH

BRILLIANT LEAF PG1A

}}} UV97.5
NR. 15

22 154
PLATINUM

BRILLIANT PG1A

}}} UV97.5
NR. 79

22 106
ACTINOLITE

BRILLIANT PG1A

}}} UV97.5
NR. 79

22 606
POPLAR

BRILLIANT LEAF PG1A

}}} UV97.5
NR. 94

22 204
LADAKH

BRILLIANT PG1A

}}} UV97.5 24 CM
NR. 727

22 156
METEOR

BRILLIANT PG1A

}}} UV97.5
NR. 727

22 604
JUNIPER

BRILLIANT LEAF PG1A

}}} UV97.5
NR. 97

22 134
MAGNESITE

BRILLIANT PG1A

}}} UV97.5
NR. 93



120 cm



22 208
BEACH

BRILLIANT

PG1A

}}} UV 97.5 24 CM
NR. 929




22 508
GALENITE

BRILLIANT

PG1A

}}} UV 97.5
NR. 929




22 152
BRASILIANTE

BRILLIANT

PG1A

}}} UV 97.5
NR. 106




22 132
BARITE

BRILLIANT

PG1A

}}} UV 97.5
NR. 106




22 140
BRONZIT

BRILLIANT

PG1A

}}} UV 97.5
NR. 926




22 206
SAHARA

BRILLIANT

PG1A

}}} UV 97.5 24 CM
NR. 106




22 602
WILLOW

BRILLIANT LEAF

PG1A

}}} UV 97.5
NR. 929



24 102
CLOUD

PG1


}}} UV 97.5
NR. 15



24 202
WHISPER

PG1

}}} UV 97.5
NR. 15



26 238
LATITUDE

PG1

}}} UV 97.5 20 CM
NR. 79





 120 cm




24 167

SEA SALT

PG1

}}} UV97.5

NR. 79



28 104


SIMPLE

PG1

}}} UV97.5

24 CM

NR. 79



24 187

GRIGIO LUCE

PG1

}}} UV90

NR. 79




24 108

FOG

PG1

}}} UV97.5

NR. 79



24 126


CONCRETE

PG1

}}} UV97.5

6 CM

NR. 94



25 122

SATELLITE

PG1

}}} UV97.5

NR. 94



26 004

RAPID

PG1

}}} UV97.5

20 CM

NR. 79



24 156

GRAPHITE

PG1

}}} UV97.5

NR. 79




25 132

SHALE

PG1

}}} UV97.5

NR. 727



24 110

GRIS

PG1

}}} UV95

NR. 94





120 cm



28 314

NAPLES GREY

PG1

}}} UV100 20 CM
NR. 727




24 812

IRON

PG1

}}} UV97.5 0.3 CM
NR. 94



24 158

FLANELLE

PG1

}}} UV95
NR. 727




24 116

STORM GREY

PG1

}}} UV97.5
NR. 97



28 394

NAPLES DARK GREY

PG1

}}} UV100 20 CM
NR. 97




25 540

TEMPÊTE TWEED

PG1

}}} UV100
NR. 94



29 310

SOLSTICE CARBONE

PG1

}}} UV100 5 CM
NR. 24



24 160

NIGHT SKY

PG1

}}} UV97.5
NR. 24




25 102

BASALTE CHINE

PG1

}}} UV100
NR. 24




24 164

BLACK

PG1

}}} UV97.5
NR. 24





 120 cm



29 308

HALO NOIR

PG1

}}} UV100  20 CM

NR. 24




24 101

BIANCO PERLA

PG1

}}} UV95

NR. 929




24 204

BIRCH

PG1

}}} UV97.5

NR. 929



24 106

ALMOND

PG1

}}} UV97.5

NR. 929




28 382

NAPLES LINEN

PG1

}}} UV95  20 CM

NR. 929



25 216

CRAIE LINK

PG1

}}} UV95

NR. 106




24 421

LIN

PG1

}}} UV95

NR. 929




25 218

HÊTRE LINK

PG1

}}} UV100

NR. 106




24 478

GRIGIO OLIVASTRO

PG1

}}} UV100

NR. 106



25 516

MARRONE PALLIDO

PG1

}}} UV100

NR. 106






120 cm



24 495
VISON TWEED

PG1

}}} UV100
NR. 929



24 412
EARTH

PG1


}}} UV97.5
NR. 930



29 546
TRACE

PG1


}}} UV97.5 24 CM
NR. 926



24 806
STEEL

PG1

}}} UV97.5 0.3 CM
NR. 94



25 202
CÈPE LINK

PG1


}}} UV100
NR. 94



25 418
TIMBER

PG1


}}} UV97.5 6 CM
NR. 106



26 214
BOARDWALK

PG1


}}} UV97.5 20 CM
NR. 926



25 402
CHAUME PIQUÉ

PG1


}}} UV100
NR. 930



29 544
SOLSTICE EBÈNE

PG1


}}} UV100 5 CM
NR. 81



25 220
CUIR LINK

PG1

}}} UV100
NR. 57









 120 cm



22 110
SULPHUR

BRILLIANT PG1A


}}} UV97.5
NR. 12 



22 158
TIGEREYE

BRILLIANT PG1A


}}} UV97.5
NR. 72 



22 630
MAPLE

BRILLIANT LEAF PG1A


}}} UV97.5
NR. 73 



22 128
SAPPHIRE

BRILLIANT PG1A


}}} UV97.5
NR. 13 



22 612
ELDER

BRILLIANT LEAF PG1A


}}} UV97.5
NR. 87 



22 610
BEECH

BRILLIANT LEAF PG1A


}}} UV97.5
NR. 62 



22 223
NEPHRITE

BRILLIANT PG1A


}}} UV97.5
NR. 16 



22 123
EMERALD

BRILLIANT PG1A


}}} UV97.5
NR. 5 



24 313
MAÏS PIQUÉ

PG1


}}} UV100
NR. 58 



24 454
DANDELION

PG1

}}} UV97.5
NR. 12 





120 cm



26 008

SUNNY

PG1

}}} UV97.5 20 CM
NR. 12



28 112

ATHENA

PG1

}}} UV97.5 24 CM
NR. 12



28 108

SUMMER

PG1

}}} UV97.5 24 CM
NR. 79




24 324

GIALLO ZAFFERANO

PG1

}}} UV100
NR. 12




24 816

BRIGHT

PG1

}}} UV97.5 0.3 CM
NR. 12




29 104

AURA

PG1

}}} UV97.5 24 CM
NR. 12




24 228

BEIGE

PG1

}}} UV100
NR. 14




24 433

CREAM

PG1

}}} UV100
NR. 14




24 327

AVORIO CHIARO

PG1

}}} UV100
NR. 14




25 212

POLLEN LINK











PG1

}}} UV100
NR. 58





 120 cm





120 cm



24 512

CHERRY

PG1

}}} UV97.5

NR. 98



28 682


SOLSTICE ROUGE

PG1

}}} UV100

5 CM

NR. 98




24 582

SCARLET

PG1

}}} UV97.5

NR. 73



28 628


APOLLO

PG1

}}} UV97.5

24 CM

NR. 73



25 224

OKOUMÉ LINK

PG1

}}} UV95

NR. 84




24 502

APRICOT

PG1

}}} UV97.5

NR. 15



28 634

AURORA

PG1

}}} UV97.5

20 CM

NR. 73



24 764

LILLA ROSSASTRO

PG1

}}} UV100

NR. 91



28 680

HALO BORDEAUX

PG1

}}} UV100

20 CM

NR. 106




24 580

MERLOT

PG1

}}} UV97.5

NR. 727





 120 cm



29 702
HALO OUTREMER

PG1


}}} UV100  20 CM
NR. 75 



25 208
CÉLESTE LINK

PG1

}}} UV100
NR. 87 



24 735
BLU VIOLACEO

PG1

}}} UV100
NR. 87 



24 762
INDIGO CHINÉ

PG1


}}} UV100
NR. 87 



24 702
NAUTICAL

PG1

}}} UV97.5
NR. 13 



26 030
BOATHOUSE

PG1

}}} UV97.5  20 CM
NR. 13 



28 716
SALTWATER

PG1


}}} UV97.5  24 CM
NR. 87 



24 726
BLU PASTELLO

PG1

}}} UV100
NR. 87 



24 751
BLU

PG1


}}} UV100
NR. 87 



24 744
GRIGIO VAIO

PG1

}}} UV100
NR. 727 





120 cm




25 206

ALOE LINK

PG1

UV 95

NR. 79



28 418


MANOSQUE GREEN

PG1

UV 95

24 CM

NR. 79



29 402

HORIZON VERT

PG1

UV 95

7.5 CM

NR. 15



24 616

AVOCADO

PG1

UV 97.5

NR. 62




24 432

GIALLO OLIVASTRO

PG1

UV 100

NR. 16




24 612

LEAF

PG1

UV 97.5

NR. 16



28 495


CHICAGO GREEN

PG1

UV 100

30 CM

NR. 7



24 656

OLIVE CHINÉ

PG1

UV 100

NR. 7



28 424


HIDEAWAY

PG1

UV 97.5

24 CM

NR. 62



26 010


VERT FORET

PG1

UV 95

20 CM

NR. 5









 120 cm

ONLY ONLINE


24 154

GRIS TWEED

PG1

}}} UV95

NR. 79



28 380


MANOSQUE GREY

PG1

}}} UV95

NR. 79

 24 CM



26 002

SHIFT

PG1

}}} UV97.5

NR. 79

 20 CM




24 162

QUARRY

PG1

}}} UV97.5

NR. 79



28 320


SILL

PG1

}}} UV97.5

NR. 94

 24 CM




24 198

PLATINÉ PIQUÉ

PG1

}}} UV95

NR. 94




25 411

FORGE

PG1

}}} UV97.5

NR. 926




24 114

ARDOISE

PG1

}}} UV100

NR. 97




25 412

ACIER PIQUÉ

PG1

}}} UV100

NR. 97



24 128


BLACK BRICK

PG1

}}} UV97.5

NR. 97

 6 CM





120 cm

ONLY ONLINE


24 104

NATUREL

PG1

}}} UV90

NR. 15/1




24 402

VANILLE

PG1

}}} UV90

NR. 93




24 216

STRAW

PG1

}}} UV97.5

NR. 93




24 308

CASHEW

PG1

}}} UV97.5

NR. 14



24 498


CLARION

PG1

}}} UV97.5

6 CM

NR. 52



24 804


SUNNY

PG1

}}} UV97.5

0.3 CM

NR. 52




24 408

SHELL

PG1

}}} UV97.5

NR. 106




25 410

CITRON CHINÉ

PG1

}}} UV95

NR. 14




25 408

GAZELLE TWEED

PG1

}}} UV95

NR. 106



28 508

RAMBLE

PG1

}}} UV97.5

24 CM

NR. 930





 120 cm


ONLY ONLINE

24 494
CHAMOIS TWEED

PG1

}}} UV95

NR. 926




24 410
DESERT

PG1

}}} UV97.5

NR. 14




25 404
MOKA PIQUÉ

PG1

}}} UV100

NR. 106





120 cm

ONLY ONLINE


24 452

PAILLE

PG1

}}} UV 95

NR. 12



28 135

SIENNE YELLOW

PG1

}}} UV 95

NR. 12

30 CM



28 114

SOLEIL

PG1

}}} UV 97.5

NR. 12

24 CM



24 328


SUNLIT

PG1

}}} UV 97.5

NR. 58

6 CM




24 304

DAFFODIL

PG1

}}} UV 97.5

NR. 58




24 306

HAZEL

PG1

}}} UV 97.5

NR. 14



28 131


KINETIC

PG1

}}} UV 97.5

NR. 12

20 CM




24 316

SAFFRON

PG1

}}} UV 97.5

NR. 55



24 456

MANDARIN

PG1

}}} UV 97.5

NR. 55



28 208


BLAZE

PG1

}}} UV 97.5

NR. 84

30 CM



 120 cm

ONLY ONLINE

28 214

VIVA

PG1

}}} UV97.5 20 CM
NR. 81 **28 216**

FLARE

PG1

}}} UV97.5 24 CM
NR. 81 **25 416**

POTIRON PIQUÉ

PG1

}}} UV100
NR. 84 **24 506**

ARANCIO TRAFFICO

PG1

}}} UV90
NR. 72 **24 510**


CHINA RED

PG1

}}} UV97.5
NR. 11 **26 034**


ROUGE NATUREL

PG1

}}} UV95 20 CM
NR. 98 **28 640**

BISTRO

PG1

}}} UV97.5 17 CM
NR. 54 **26 018**

ROSEWOOD

PG1

}}} UV97.5 20 CM
NR. 98 **28 618**

MUNICIPAL

PG1

}}} UV97.5 24 CM
NR. 73 **28 630**

APEX

PG1

}}} UV97.5 20 CM
NR. 11 



120 cm

ONLY ONLINE

24 538
CARMIN PIQUÉ

PG1


}}} UV100
NR. 98



24 514
BURGUNDY

PG1


}}} UV97.5
NR. 73



24 810
CLOUDLESS

PG1

}}} UV97.5 0.3 CM
NR. 87



28 729
OCEAN

PG1

}}} UV97.5 30 CM
NR. 13



28 714
LAKESIDE

PG1


}}} UV97.5 24 CM
NR. 13



24 902
SKY

PG1

}}} UV97.5
NR. 77



24 720
SAPHIR

PG1


}}} UV95
NR. 21



24 602
JUNGLE

PG1

}}} UV97.5
NR. 8



26 028
PARADISE

PG1

}}} UV97.5 20 CM
NR. 8



28 420
EVERGREEN

PG1

}}} UV97.5 24 CM
NR. 5





120 cm

ONLY ONLINE


28 494

ROME GREEN

PG1

UV 95 24 CM

NR. 7





OF 14 %




M1 NFP 92-507
B1 DIN 4102-1

PG2

44 058

BLANC NEIGE

177 / 267 cm



44 004

GALET

177 / 267 cm



44 006

ALU / ALU

177 / 267 cm



44 008

MÉTAL MARTELÉ


177 / 267 cm



44 032

ANTHRACITE


177 / 267 cm



44 048

NOIR PROFOND

177 / 267 cm



44 002

BLANC

177 / 267 cm



44 018

CHAMPAGNE

177 / 267 cm



44 020

BEIGE SABLÉ


177 / 267 cm



44 024

BRONZE

177 / 267 cm





SOLTIS HORIZON 86



☀️ OF 14 %




M1 NFP 92-507
B1 DIN 4102-1

PG2

44 050

BRIQUE


↕ 177 cm



44 054

BLEU FRANC

↕ 177 cm



ONLY ONLINE

 OF 8 %


 **M1** NFP 92-507
B1 DIN 4102-1

PG2A

45 040

BLANC NEIGE

 177 / 267 cm



45 010

ALUMINIUM


 177 / 267 cm



45 018

GALET


 177 / 267 cm



45 016

BÉTON


 177 cm



45 008

ANTHRACITE


 177 / 267 cm



45 038

TAUPE


 177 / 267 cm



45 004

BRONZE


 177 cm



45 042

BRIQUE

 177 cm



45 006

BLANC


 177 / 267 cm



45 020

CHAMPAGNE

 177 / 267 cm





ONLY ONLINE

☀️ OF 8%




M1 NFP 92-507
B1 DIN 4102-1

PG2A

45 014

BEIGE SABLÉ


↕️ 177 / 267 cm



45 002

POIVRE

↕️ 177 / 267 cm





☀️ OF 4 %



M1 NFP 92-507
B1 DIN 4102-1

PG3

46 090

BLANC NEIGE


↕️ 177 / 267 cm



46 004

GALET

↕️ 177 / 267 cm



46 067

ALU / BLANC

↕️ 177 / 267 cm



46 006

ALU / ALU


↕️ 177 / 267 cm



46 036

ALU / GRIS MOYEN

↕️ 177 / 267 cm



46 008

MÉTAL MARTELÉ


↕️ 177 / 267 cm



46 038

BÉTON

↕️ 177 / 267 cm



46 032

ANTHRACITE

↕️ 177 / 267 cm



46 074

NOIR PROFOND

↕️ 177 / 267 cm



46 002

BLANC

↕️ 177 / 267 cm





SOLTIS PERFORM 92



☀️ OF 4 %



M1 NFP 92-507
B1 DIN 4102-1

PG3

46 018
CHAMPAGNE

↕️ 177 / 267 cm



46 080
QUARZ

↕️ 177 / 267 cm



46 020
BEIGE SABLÉ

↕️ 177 / 267 cm



46 088
TAUPE

↕️ 177 / 267 cm



46 024
BRONZE

↕️ 177 / 267 cm



46 022
POIVRE

↕️ 177 / 267 cm



46 050
OR

↕️ 177 cm



46 052
CUIVRE

↕️ 177 cm




46 078
BRIQUE

↕️ 177 cm



46 026
ROUGE

↕️ 177 cm





☀ OF 4 %

🔥 M1 NFP 92-507
B1 DIN 4102-1

PG3

46 070

ROUGE PROFOND

↕ 177 cm



46 072

BLEU FRANC


↕ 177 cm



46 084

GRIS CÉLESTE


↕ 177 cm



46 094

VERT DE GRIS

↕ 177 cm





ONLY ONLINE

☀ OF 5%



M1 NFP 92-507
B1 DIN 4102-1

PG2

47 002

FROST WHITE

↕ 250 / 290 cm



47 004

CUMULUS

↕ 250 / 290 cm



47 006

GRAPHITE


↕ 250 / 290 cm



47 008

SHADOW

↕ 250 / 290 cm



47 010

SEA LION


↕ 250 / 290 cm



47 012

MACADAMIA


↕ 250 / 290 cm



47 014

EDELWEISS

↕ 250 / 290 cm



47 016

NATURAL


↕ 250 / 290 cm



47 018

GREY PEPPER


↕ 250 / 290 cm



47 020

VOLCANO

↕ 250 / 290 cm





ONLY ONLINE

☀️ OF 5 %

🔥 M1 NFP 92-507
B1 DIN 4102-1

PG2

47 022

TOUNDRA


↕️ 250 / 290 cm



47 024

LUNAR SURFA

↕️ 250 / 290 cm





☀ OF 5%



M1 NFP 92-507
B1 DIN 4102-1

PG2

42 402

WEISS / WEISS




42 404

WEISS / PERLGRAU




42 224

PERLGRAU / WEISS




42 228

GRAU / WEISS




42 232

PERLGRAU / PERLGRAU




42 406

GRAU / GRAU




42 408

SCHWARZ / GRAU




42 410

SCHWARZ / SCHWARZ




42 218

LEINEN / WEISS



42 220

LEINEN / LEINEN





OF 5%



M1 NFP 92-507
B1 DIN 4102-1

PG2


42 214

LEINEN / PERLGRAU



42 212

GRAU / SAND




42 216

SAND / WEISS




42 052

SANDSTEIN




42 202

SCHWARZ / BRONZE




42 204

BRONZE / BRONZE




42 210

SAND / BRONZE




42 248

LEINEN / GRAU-GOLD




42 246

GRAU / GELB



42 250

GRAU / GOLD





☀ OF 5%



M1 NFP 92-507
B1 DIN 4102-1

PG2


42 254

LEINEN / BORDEAUX




42 252

GRAU / MANDARINE




42 240

GRAU / AZURBLAU



42 244

PALME





ONLY ONLINE

☀ OF 1%




M1 NFP 92-507
B1 DIN 4102-1

PG3

43 002

BRONZE / BRONZE


↕ 270 cm



43 004

LEINEN / LEINEN

↕ 270 cm



43 006

WEISS / WEISS


↕ 270 cm



43 010

GRAU / WEISS

↕ 270 cm



43 012

PERLGRAU / PERLGRAU


↕ 270 cm



43 014

GRAU / GRAU


↕ 270 cm



43 016

GRAU / SCHWARZ


↕ 270 cm



43 018

SCHWARZ / SCHWARZ

↕ 270 cm





 260 cm ONLY ONLINE

 OF 1.9%  M1 NFP 92-507
B1 DIN 4102-1 PG4


48 002

COLONIAL WHITE



48 003

CHARCOAL




48 006

GRANADA BEIGE



48 008

GRAPHITE GREY




48 009

WHITE CEMENT




48 017

UMBRA BROWN




48 020

BRITANNIA GREY



48 024

CHROME YELLOW






M1 NFP 92-507
B1 DIN 4102-1

PG4

62 002

WEISS


170 cm



62 004

KIESELSTEIN


170 cm



62 006

METALL GEHÄMMERT

170 cm



62 008

BRONZE

170 cm



62 118

WEISS / PERLGRAU

210 cm



62 120

AUSTERNSCHALE


210 cm



62 122

GRAU / SCHWARZ


210 cm



62 124

WEISS / GRAU

210 cm





SOLTIS LOUNGE 96


 120 cm 

 OF 4%

 M2 NFP 92-507 – PG1A

32 002

BLANC




32 004

KARITÉ



32 006

VANILLE



32 008

TAUPE



32 010

BRONZE



32 012

ANTHRACITE



32 014


TILLEUL



32 016

PLATINE







 120 cm



82 102

ECRU

PG3

}}} UV90

NR. 15



82 108

PIERRE

PG3

}}} UV95

NR. 79



82 110

GRIS

PG3

}}} UV95

NR. 94



82 156

SOURIS CHINÉ

PG3

}}} UV95

NR. 79



82 158

FLANELLE CHINÉ

PG3

}}} UV95

NR. 727



82 212

PLATINE PIQUÉ

PG3

}}} UV95

NR. 94



82 114

ARDOISE

PG3

}}} UV100

NR. 97



82 210

ACIER PIQUÉ

PG3

}}} UV100

NR. 727



82 208

BASALTE CHINÉ

PG3

}}} UV100

NR. 97



82 164

NOIR

PG3

}}} UV100

NR. 24






120 cm



82 104
NATUREL

PG3


}}} UV90
NR. 15/1



82 404
IVOIRE

PG3

}}} UV95
NR. 15/1



82 106
GRÈGE

PG3

}}} UV90
NR. 929



82 406
DUNE

PG3

}}} UV95
NR. 14



82 222
HETRE LINK

PG3

}}} UV100
NR. 106



82 410
BRUYÈRE CHINÉ

PG3

}}} UV100
NR. 106



82 414
TAUPE

PG3

}}} UV95
NR. 926



82 216
EBÈNE PIQUÉ

PG3

}}} UV100
NR. 81



82 218
ORGEAT LINK

PG3


}}} UV100
NR. 58



82 214
TANGERINE

PG3

}}} UV95
NR. 72





 120 cm




82 220
MAGMA LINK

PG3

}}} UV95

NR. 84




82 512
ROUGE

PG3

}}} UV100

NR. 98




82 708
MARINE

PG3

}}} UV100

NR. 75




82 604
FORET

PG3

}}} UV100

NR. 5



ONLY ONLINE

 **M1** NFP 92-507
B1 DIN 4102-1

86 016

WEISS

PG3

}}} UV97.5



86 004

GRAU

PG3

}}} UV97.5




86 010

ANTHRAZIT

PG3

}}} UV97.5




86 020

SCHWARZ

PG3

}}} UV97.5



86 018

BEIGE

PG3

}}} UV97.5




86 008

BRAUN

PG3

}}} UV97.5




86 022

ROT

PG3

}}} UV97.5




86 006

WEINROT

PG3

}}} UV97.5





 120 cm



34 002
MARMOLADA

PG1A

}}} UV97.5

NR. 79




34 004
ARPELI

PG1A

}}} UV97.5

NR. 14



34 006
KARST

PG1A

}}} UV97.5

NR. 94




34 008
RITTEN

PG1A

}}} UV97.5

NR. 929




34 010
SECEDA

PG1A

}}} UV97.5

NR. 98



34 012
MALENCO

PG1A

}}} UV97.5

NR. 727







RESISTANT



M1 NFP 92-507
B1 DIN 4102-1

PG3

84 002

WEISS

↕ 300 cm

84 005

HELLGRAU

↕ 300 cm

84 016

ANTHRAZIT

↕ 300 cm

84 004

VANILLE

↕ 300 cm

84 006

SANDFARBEN

↕ 300 cm

84 200 ☾

QUARZ

↕ 267 cm

84 202 ☾

WEISS

↕ 267 cm

84 204 ☾

GRAU

↕ 267 cm

85 004

WEISS

↕ 267 cm

85 002

VANILLE

↕ 267 cm




M1 NFP 92-507
B1 DIN 4102-1

PG3

85 006
HELLGRAU

↕ 267 cm




85 008
ANTHRAZIT

↕ 267 cm



VALANCE SHAPES

The recommended valance height is 15–20 cm, depending on the type of awning. The valance cut-out is adapted to the corresponding repeat width. For technical reasons, a manufactured valance subsequently can show repeat deviations of up to 6 cm. Important! Specify the valance number when ordering. Without specification, standard valance No. 50 is supplied.



THE EDGING TAPE FOR THE VALANCE

The valance has a hemmed edging tape to create a particularly beautiful appearance. Therefore it is important to always indicate the desired binding tape number when ordering fabrics. If no information is provided, the recommended edging tape as shown in this brochure will be used.



UV PROTECTION

STOBAG only uses sun protection fabrics that have been tested according to current UV test standards (UV 801, EN 13758-1, AS/NZS 4399:1996). The materials tested provide 90 – 100 % protection against UV radiation. All specifications are guidelines and refer to adults, children’s skin is much more sensitive.

					
 *	5–10’	10–20’	20–30’	~ 40’	~ 60’
 **	 UV 90	150–300’	150–300’	600–900’	~ 1350’
	 UV 95	200–400’	400–800’	800–1200’	~ 1800’
	 UV 100	400–800’	800–1600’	1600–2400’	~ 3600’

* Skin protection time
** Self-protection time under the awning cover

INFORMATION ABOUT THE FABRIC

Acrylic fabric awning fabrics are high-performance products with high light and color stability as well as rot-proof, water and dirt-repellent finishes. They offer you many years of safe and pleasant sun protection. Despite the state-of-the-art production of the awning fabrics, the treatment of the fabrics gives rise to unavoidable phenomena. In order to avoid any irritation, we would like to expressly draw your attention to the following characteristics within the scope of consumer information:



1 BENDS

This occurs during the manufacturing and folding of awning fabrics. Particularly in the case of light colors, this can lead to surface effects in the fabric, which appear darker in backlight.



1 CHALK EFFECT

These are bright stripes, which are produced during processing and cannot always be completely avoided even with the greatest care.




2 / 3 / 4 WAVINESS

In the hem, seam and sheet area, multiple layers of fabric and different compressions result in various winding thicknesses on the fabric shaft. The resulting material tensions can evidence waviness (e. g. waffle or herringbone patterns). Wrinkle formation in the hem area is also possible with ZIP systems in the transition area between fabric and zipper.



5 SIDE RAIL EXTENSION

Seams and hem act as a reinforcement, but must also withstand the highest stress. When rolling up the fabric, the hems and seams lie on top of each other, which increases pressure and tension. Hems and seams are smoothed out and thus increase in length. When the awning is extended, this can cause the side hems to hang down slightly.



RAIN RESISTANCE

Acrylic sunshade awning fabrics are water-repellent impregnated and withstand light, short rain at a minimum inclination of 14°. In case of heavy or prolonged rainfall, awnings must be retracted to avoid damage. Wet rolled awnings must be opened as soon as possible for drying.

FRAME COLORS

FRAME COLORS CLASSIC	A selection of 8 IGP-DURA®face product series 56, Qualicoat Class 1. Page 64
FRAME COLORS LIFESTYLE	A selection of 16 highly weather-resistant colors, premium from the series products IGP-DURA®xal 42 and IGP-HWF classic 59. Page 65 – 66
FRAME COLORS RAINBOW	A selection from 197 IGP-DURA®face product series 58, Quali-coat Class 1. Rainbow Colors are standard RAL colors. Page 67

SURFACE ASPECT

SURFACE ASPECT GLOSS



DEEP MATTE



MATTE



SILK GLOSS

SURFACE ASPECT STRUCTURE



SMOOTH FINISH



FINE STRUCTURE

SURFACE ASPECT EFFECT



PEARL MICA



HOMOGENEITY

FRAME COLORS CLASSIC

C10

TRAFFIC WHITE

RAL 9016



C12

PURE WHITE

RAL 9010



C28

WHITE ALUMINUM

~ RAL 9006



C30

GREY ALUMINUM

~ RAL 9007



C34

FERRITE

~ DB 703



C48

UMBRA GREY

RAL 7022



C50

ANTHRACITE GREY

RAL 7016



C52

JET BLACK

RAL 9005



L12

SILK GREY



CLASSIC 31
4201U75268L10




L22

UMBRA GREY



CLASSIC 37
4201U75305L10




L24

JET BLACK



RAL 9005
4201A90050L10




L20

BLACK BROWN



CLASSIC 35
4201U82305L10



L18

MOCHA BROWN



CLASSIC 34
4201U82304L10



L30

MEDIUM BRONZE



STYLE 30
4201U81872L10



L14

CONSTRUCTION SILVER



CLASSIC 32
4201U82301L10



L28

COPPER BROWN



RAL 8004
4201A80040L10




L40

TRAFFIC WHITE



RAL 9016

591TA90160R10

**L42**

WHITE ALUMINUM



~ RAL 9006

591TU90060R10

**L48**

ANTHRACITE GREY



RAL 7016

591TA70160R10

**L56**

DESERT ORE



571TE14264R30

**L52**

BROWN GREY



591TE83429R10

**L70**

TEXTURED BRONZE




591TU85576R10

**L58**

CUPRUM SPIN




591TU81003R10

**L54**

GOLD SAND



571TE14296R30



FRAME COLORS RAINBOW

In addition to the colors already shown, all other colors from the RAL collection, which are suitable for outdoor use and available in small quantities, are also available in the RAINBOW series. Other colors are available on request. There is an extra charge for colors from the RAINBOW range.





Making living spaces more valuable together.

STOBAG AG
Verkaufsstelle
Deutschschweiz / Tessin
Pilatusring 1
5630 Muri
Switzerland

STOBAG SA
Point de vente
Suisse Romande / France
En Budron H / 18
1052 Le Mont-sur-Lausanne
Switzerland

STOBAG Österreich GmbH
Radlberger Hauptstrasse 100
3105 St. Pölten-Unterradlberg
Austria

STOBAG AG
Sales Point International
Pilatusring 1
5630 Muri
Switzerland

STOBAG North America Corp.
1445 Norjohn Ct Unit 7
Burlington, ON L7L 0E6
Canada

